York MRI Facility

Magnetic Resonance (MR) Safety Screening Form

Name	Weight
Last First	MI Height
Date of Birth//	Male Female
Month Day Year	
Do you have: Cardiac pacemaker or implantable cardioverter defibrillator (ICD)	
Are you: Claustrophobic	🖵 Yes 🖵 No
Are you currently taking any medications?	🖵 Yes 🖵 No
List:	
 Have you ever had an injury to the eye involving a metallic object or fragment? □ Yes □ No Have you ever worked in a metal shop? □ Yes □ No Possibility of pregnancy? □ Yes □ No □ Not applicable 	
Brain/Head Surgery Ses Sea No	Artificial Implants/Mechanical Devices .
List type/date	<i>List type/date</i> Strees No
Heart/Chest Surgery Ses Sec. No	Other Surgery.
<i>List type/date</i> Retained pacer wires \Box Yes \Box No	<i>List type/date</i> \Box Yes \Box No
Ear Surgery Ses Ses No	Pierced body parts (earrings, etc.) 📮 Yes 🗅 No
List type/date	Hearing aid or cochlear implant \Box Yes \Box No
	Permanent retainer or braces Deptures or partials
	Dentures or partials History of bullets, shrapnel or BBs Yes No
Eye Surgery Surgery Set No	History of seizures Yes Yes No
List type/date	Hair piece, wig or hair extensions 🖵 Yes 🗅 No
	Medication or transdermal patch 🛛 Yes 🖵 No
	Tattoo or permanent makeup 🛛 Yes 🗅 No
	Stent, filter 🛛 Yes 🗅 No
WARNING: Certain implants, devices, or objects may be hazardous to you and/or may interfere with the MR procedure (i.e., MRI, MR angiography, functional MRI, MR spectroscopy). Do not enter the MR system room or MR environment if you have any questions or concerns regarding an implant, device, or object. Consult the MRI Technologist or Researcher BEFORE entering the MR system room. The MR system magnet is ALWAYS on.	
I attest that the above information is correct to the best of my knowledge. I have read and	
understood the contents of this form and had the opportunity to ask questions regarding the	
information on this form and regarding the MRI procedure that I am about to undergo.	
Signature of person completing form: Date//	
Form completed by: \Box MRI participant \Box Other (specify)	
Reviewed by:	PI of study